



XS Wireless Digital Mini jack transmitter

XS Wireless Digital transmitter with 3.5mm (1/8") input. Designed to be used with any lavalier or head-worn microphone with a 3.5mm (1/8") connector, this 2.4 GHz transmitter will pair with any XSW-D receiver. Offered as a replacement, this item includes a charging cable but does not include a microphone or any other accessories.



FEATURES

- One touch ease-of-use
- 2.4 GHz digital transmission for worldwide operation
- 75 m range (250 ft) in optimal conditions
- Up to 5 hours battery life on a single charge
- Switch between multiple transmitters linked to one receiver

DELIVERY INCLUDES

- XSW-D 3.5 mm (1/8") transmitter
- USB-A to USB-C charging cable
- Colored stickers for labelling
- Quick guide
- Safety guide

SPECIFICATIONS

USB C interface for charging:

Input voltage	typ. 5.0 V
Charging temperature	0 °C - 60 °C (32 °F - 140 °F)
Charging time	typ. 3 h

Battery pack:

Cell type	Li-Ion
Nominal voltage	3.7 V
Cell capacity	850 mAh
Operating time	up to 5 h

AF characteristics:

Codec	aptX® Live
Audio frequency response	80 - 18,000 Hz
Audio output	max. 12 dBu
Signal-to-noise ratio	≥ 106 dB
THD	< 0.1 %
Audio latency	< 4 ms

Product properties:

Dimensions	approx. 86 x 24 x 28 mm
Weight	approx. 73 g
Frequency range	2,400 - 2,483.5MHz
Transmission power (EIRP)	max. 10 mW
Modulation	GFSK with TDMA

Environmental conditions:

Operating temperature	-10 °C to +55 °C (14 °F to 131 °F)
Relative humidity	95 % (non-condensing)



XS Wireless Digital Mini jack transmitter

PRODUCT VARIANTS

XSW-D MINI JACK TX
Transmitter with 3.5mm (1/8") input
Art. no. 508495

AVAILABLE SETS

XSW-D VOCAL SET
XS 1 handheld, female XLR transmitter,
male XLR receiver
Art. no. 508484

XSW-D LAVALIER SET
ME2-II, 3.5mm (1/8") transmitter, male
XLR receiver
Art. no. 508485

XSW-D PEDALBOARD SET
6.3mm (1/4") transmitter, pedalboard
receiver
Art. no. 508486

XSW-D PORTABLE LAVALIER SET
ME2-II, 3.5mm (1/8") transmitter &
3.5mm (1/8") receiver
Art. no. 508488

XSW-D PORTABLE INTERVIEW SET
Female XLR transmitter, 3.5mm (1/8")
receiver
Art. no. 508489

XSW-D PORTABLE ENG SET
ME2-II, 3.5mm (1/8") transmitter,
female XLR transmitter, 3.5mm (1/8")
receiver
Art. no. 508490

XSW-D XLR BASE SET
Female XLR transmitter, male XLR
receiver
Art. no. 508491

XSW-D PRESENTATION BASE SET
3.5mm (1/8") transmitter, male XLR
receiver
Art. no. 508492

XSW-D INSTRUMENT BASE SET
6.3mm (1/4") transmitter, 6.3mm (1/4")
receiver
Art. no. 508493

XSW-D PORTABLE BASE SET
3.5mm (1/8") transmitter, 3.5mm (1/8")
receiver
Art. no. 508621

ACCESSORIES

XSW-D XLR FEMALE TX
Transmitter with female XLR input
Art. no. 508494

XSW-D INSTRUMENT TX
Transmitter with 6.3mm (1/4") input
Art. no. 508496

XSW-D XLR MALE RX
Receiver with male XLR output
Art. no. 508497

XSW-D INSTRUMENT RX
Receiver with 6.3mm (1/4") output
Art. no. 508498

XSW-D PEDALBOARD RX
Receiver with 6.3mm (1/4") & male
XLR outputs
Art. no. 508499

XSW-D MINI JACK RX
Receiver with 3.5mm (1/8") output
Art. no. 508500

NT XSW-D PEDALBOARD
Power supply for pedalboard receiver
Art. no. 508647

CL 35
3.5mm (1/8") coiled output cable
Art. no. 508648

CI 63
6.3mm (1/4") extension input cable
Art. no. 508649

XSW-D BELTPACK CLIP
Transmitter belt clip
Art. no. 508650

XSW-D HOTSHOE MOUNT
Camera mount for XSW-D receivers
Art. no. 508651



XS Wireless Digital Mini jack transmitter

DIMENSIONS

XSW-D MINI JACK TX

